

7-15-86

STD ERM PROTOCOL

△ ASSUMPTIONS

- Viewer has taken rec. rel. TR. (ACS) - no form
- self conducted
- no tech. aid.

□ Pictured

□ one type (4 min) for type of session.

- interviewer

I → A

- gives an envelope ... (on encl. out)
- + real coord. outside
- 3x5 card with questions (target out)
- + back. etc.
- encrypts it.

I 2. "Target is in Envelope." ]

App.

3. the target envelope ... on a table

4. Run to going in

~~done~~ / detected  
physical artifact  
(note)

5. drop rel light on

can note to write

6.

6. Warner Talks

7. (or 1 year... mid zone ACS - a sanctuary

→ Ref. to (m.v.)... somewhere is a place.  
when you feel bad in -

trip... → no description.  
~ xfer → go back to place

then, Gen Enrypt ~~RT~~ coord -

→ gen. decrypt  
→ →

they talk: → stop only when re analytical (next RT RT)

10- -- wh = no analysis

(Break it down = characteristics of -  
- describe it =

0  
00  
IF2  
FF RT, OK, IF Left (stop).

4.

- ± last 14-session destructure.

- 14 series... ≡

next phase

→ ok... managing... wire draw  
- Go back to 'S'

- ± units separate gestalt.

- New in Sarc<sup>+</sup>... Now recall what you have seen

gestalt  
Look in MIN... so have more left brain in it.

- Engaged... Now... Put together...

- analysis occur.

↳ trial ask

→ Now draw

which is 75-25% STJ... units learn in Narrative form

0  
0

Now put in recdable form... + post session

☐ what was given to √ to ±

5

□ knowled target <sup>at car</sup> increase with sess. #.

← time frame - - area 2 extra sessions

↙  
but .. trend of... lim TIME ... how many  
data